

BENCHING



Effective March 1, 2022



BENCHING

Make the most of your square footage while encouraging employee interaction and collaboration with either static or height adjustable benching, or a beautiful combination of both. Compel benching is highly flexible, allowing you to configure the ideal solution for any space.

PIVIT BENCHING



Benching doesn't have to be complex. Keep it simple with Pivit Benching. Available in the same three worksurface finishes and three leg finishes as Pivit Frame Desking, Pivit Benching allows you to match or contrast your private offices with a sleek, and very simple, benching system.

compel[®]

Pivot Frame Benching

Build the benching system that meets your needs with Pivot Frame Benching. Simple, flexible, and very stylish, Pivot Frame Benching provides the individual components you need to create the benching you want.

Specification Notes

- 1 Format: single or double-sided
- 2 Worksurface: per individual user
- 3 End Legs: end of run
- 4 Shared Legs: for connecting adjoining worksurfaces
- 5 Power: trough and power components
- 6 Worksurface Support Bar: choose appropriate option
- 7 Privacy Screens: Acrylic spine screens



PIVOT FRAME BENCHING



Pivot Pod

Commonly Specified With Pivot Benching

See Accessories for complete information.



Mobile Box Box File



Clamp-on or
Undermount Power



Single or Dual
Monitor Arms



Pivit Frame Benching

SKU	DESCRIPTION	PRICE
FRAME END LEGS		
PIV-OF-24	Pivit - Leg - Frame - End - 24"	302
PIV-OF-30	Pivit - Leg - Frame - End - 30"	351
PIV-OF-48	Pivit - Leg - Frame - End - 48"	582
PIV-OF-60	Pivit - Leg - Frame - End - 60"	677
FRAME SHARED LEGS		
PIV-OF-SH-30	Pivit - Leg -Frame - Shared - 30"	396
PIV-OF-SH-36	Pivit - Leg - Frame - Shared - 36"	443
PIV-PL-120	Pivit - Leg - 120 Pod - Shared	344
LEG COLOR OPTIONS		
-BLK	Black	
-WHT	White	
-SLV	Silver	
WORKSURFACES		
WS-4824	Worksurface - 48 x 24	278
WS-4830	Worksurface - 48 x 30	317
WS-6024	Worksurface - 60 x 24	331
WS-6030	Worksurface - 60 x 30	376
WS-7224	Worksurface - 72 x 24	397
WS-7230	Worksurface - 72 x 30	457
WS-120POD	Worksurface - 120 Degree	702
FINISH COLOR OPTIONS		
-CAFE		
-GA		
-WHT		
WORKSURFACE SUPPORT		
PHTCH-EXP	Expandable Support Bar - for 48-72" Surfaces	238
PIV-MEND-6SCREW	Pivit Mending Plate - 6 Screws	40



Pivit Frame Benching



Listed Size	Actual Size
WS-4824	47.25" W X 23.63" D
WS-4830	47.25" W X 29.5" D
WS-6024	59" W X 23.63" D
WS-6030	59" W x 29.5" D
WS-7224	70.88" W x 23.63" D
WS-7230	70.87" L x 29.5" W
WS-120POD	81.8" W x 44.1" D

SKU	DESCRIPTION	PRICE
POWER TROUGH		
PIPWRTRGHNAT40	Pivit - Power Trough - National Code Pivit -	397
PIPWRTRGHCHI40	Pivit - Power Trough - Chicago Code*	397
POWER TROUGH COLOR		
-BLK	Black	
-SLV	Silver	
POWER MODULES		
PWR-BASEFEED-72	Power Base Feed for Benching 72" Power	860
PWR-BASEFEED-144	Base Feed for Benching 144" Power Module	919
PWR-JMPR-48	- Jumper - 48" Benching Power Module -	508
PWR-JMPR-60	Jumper - 60" Benching Power Module -	535
PWR-JMPR-72	Jumper - 72" Benching Power Module -	561
CHICODE-JBOX	Junction Box (up to 3 per trough)*	159/ea
SCREENS:		
POWER TROUGH MOUNTED		
PIV-ACRY-SCRN-48	Pivit- Acrylic Screen-Benching 48 - 11.5"H	463
PIV-ACRY-SCRN-60	Pivit- Acrylic Screen-Benching 60 - 11.5"H	529
PIV-ACRY-SCRN-72	Pivit- Acrylic Screen-Benching 72 - 11.5"H	661

SPECIFICATION NOTES

POWER

Each power component specified individually. All power modules come with harness and power block included. Power block is dual sided, 4 receptacles. All electrical is 8-wire, 4-circuit.

SPECIFICATION NOTES

CHICAGO POWER

The Chicago power trough can hold up to (3) Jboxes per trough. This provides each user with (6) outlets max.

