

BENCHING

COMPEL PRODUCT PRICE GUIDE | AUGUST 2021



2021



BENCHING

Make the most of your square footage while encouraging employee interaction and collaboration with either static or height adjustable benching, or a beautiful combination of both. Compel benching is highly flexible, allowing you to configure the ideal solution for any space.

PIVIT BENCHING



Benching doesn't have to be complex. Keep it simple with Pivit Benching. Available in the same four worksurface finishes and three leg finishes as Pivit Frame Desking, Pivit Benching allows you to match or contrast your private offices with a sleek, and very simple, benching system.

compel[®]

Pivot Frame Benching

Build the benching system that meets your needs with Pivot Frame Benching. Simple, flexible, and very stylish, Pivot Frame Benching provides the individual components you need to create the benching you want.

Specification Notes

- 1 Format: single or double-sided
- 2 Worksurface: per individual user
- 3 End Legs: end of run
- 4 Shared Legs: for connecting adjoining worksurfaces
- 5 Power: trough and power components
- 6 Worksurface Support Bar: choose appropriate option
- 7 Privacy Screens: Acrylic spine screens



PIVOT FRAME BENCHING



Commonly Specified With Pivot Benching

See Accessories for complete information.



Mobile Box Box File



Clamp-on or
Undermount Power



Single or Dual
Monitor Arms



Pivot Frame Benching

SKU	DESCRIPTION	PRICE
FRAME END LEGS		
PIV-OF-24	Pivot - Leg - Frame - End - 24"	263
PIV-OF-30	Pivot - Leg - Frame - End - 30"	305
PIV-OF-48	Pivot - Leg - Frame - End - 48"	506
PIV-OF-60	Pivot - Leg - Frame - End - 60"	589
FRAME SHARED LEGS		
PIV-OF-SH-30	Pivot - Leg - Frame - Shared - 30"	344
PIV-OF-SH-36	Pivot - Leg - Frame - Shared - 36"	385
PIV-PL-120	Pivot - Leg - 120 Pod - Shared	299
LEG COLOR OPTIONS		
-BLK	Black	
-WHT	White	
-SLV	Silver	
WORKSURFACES		
WS-4824	Worksurface - 48 x 24	242
WS-4830	Worksurface - 48 x 30	276
WS-6024	Worksurface - 60 x 24	288
WS-6030	Worksurface - 60 x 30	327
WS-7224	Worksurface - 72 x 24	345
WS-7230	Worksurface - 72 x 30	397
WS-120POD	Worksurface - 120 Degree	610
FINISH COLOR OPTIONS		
-AC		
-CAFE		
-GA		
-WHT		
WORKSURFACE SUPPORT		
WS-SUPPORT-BAR-31	Worksurface Support Bar - 31 - for 48" Surfaces	120
WS-SUPPORT-BAR-49	Worksurface Support Bar - 49 - for 60" Surfaces	143
WS-SUPPORT-BAR-61	Worksurface Support Bar - 61 - for 72" Surfaces	154
PHTCH-EXP	Expandable Hat Channel - for 48-72" Surfaces	207
PIV-MEND-6SCREW	Pivot Mending Plate - 6 Screws	35
STANDARD FINISH COLOR OPTIONS		
-AC	American Cherry	
-CAFE	Cafe	
-GA	Grey Ash	
-WHT	White	



Pivot Frame Benching

SPECIFICATION NOTES

Frame Legs are specified and priced as single legs, not pairs.

Worksurface sizes are listed as nominal in the SKU and description. Actual sizing varies from listed. All worksurfaces are 1" TFL. Worksurface Support Bars install to the underside of the worksurface. The Expandable Hat Channel is a telescoping bar that ties into the leg and provides additional lateral support as well as worksurface support.

American Cherry



Cafe



Grey Ash



White



Listed Size	Actual Size
WS-4824	47.25" W X 23.63" D
WS-4830	47.25" W X 29.5" D
WS-6024	59" W X 23.63" D
WS-6030	59" W x 29.5" D
WS-7224	70.88" W x 23.63" D
WS-7230	70.87" L x 29.5" W
WS-120POD	81.8" W x 44.1" D

SKU	DESCRIPTION	PRICE
POWER TROUGH		
PIPWRTRGHNAT40	Pivot - Power Trough - National Code	300
PIPWRTRGHCHI40	Pivot - Power Trough - National Code	300
POWER TROUGH COLOR		
-BLK	Black	
-SLV	Silver	
POWER MODULES		
PWR-BASEFEED-72	Power Base Feed for Benching 72"	650
PWR-BASEFEED-144	Power Base Feed for Benching 144"	695
PWR-JMPR-48	Power Module - Jumper - 48" Benching	384
PWR-JMPR-60	Power Module - Jumper - 60" Benching	404
PWR-JMPR-72	Power Module - Jumper - 72" Benching	424
CHICODE-JBOX	Chicago Code Junction Box (3 per trough)	120 per
SCREENS:		
POWER TROUGH MOUNTED		
PIV-ACRY-SCRN-48	Pivot- Acrylic Screen-Benching 48 - 11.5"H	350
PIV-ACRY-SCRN-60	Pivot- Acrylic Screen-Benching 60 - 11.5"H	400
PIV-ACRY-SCRN-72	Pivot- Acrylic Screen-Benching 72 - 11.5"H	500



HILO BENCHING



Efficient use of space and the sit-stand benefits come together in Compel's HiLo Benching. It delivers the space-saving benefits of benching solutions along with the ability for each individual user to custom tailor their experience. It's a win-win-win.

compel[®]

HiLo Benching

Compel's HiLo height adjustable bases combined with our HiLo Hub are a match made in benching heaven. HiLo Hub delivers power and data, and provides privacy when utilized with optional screens. And HiLo Hub is an independent unit, so you can position and reposition your HiLo bases however you want.



Specification Notes

- 1 Format: single or double-sided
- 2 Worksurface: per individual user
- 3 HiLo Hub: sized for 48", 60" and 72" workstations
- 4 HiLo Hub Screen Brackets: not included in base
- 5 Privacy Screens: PET

HILO BENCHING



Commonly Specified With HiLo Benching

See Accessories for complete information.



Mobile Box Box File



Clamp-on or Undermount Power



Single or Dual Monitor Arms



HiLo Benching

SKU	DESCRIPTION	PRICE
HILO-2-MID	HiLo - Dual Leg - Dual Motor - Base - Midsize	1144
HILO-2-EXTND	HiLo - Dual Leg - Dual Motor - Base - Extended Size	1265
HILO-3	HiLo - Three Leg - Three Motor - Base	1898
BASE COLOR OPTIONS		
-BLK	Black	
-SLV	Silver	
-WHT	White	
WORKSURFACES		
WS-4824	Worksurface - 48" x 24"	242
WS-4830	Worksurface - 48" x 30"	276
WS-6024	Worksurface - 60" x 24"	288
WS-6030	Worksurface - 60" x 30"	327
WS-7224	Worksurface - 72" x 24"	345
WS-7230	Worksurface - 72" x 30"	397
WS-120POD	Worksurface - 120 Degree	610
STANDARD FINISH COLOR OPTIONS		
- AC	American Cherry	
- CAFE	Cafe	
- GA	Grey Ash	
- WHT	White	

SPECIFICATION NOTES:

Worksurface sizes are listed as nominal in the SKU and description. Actual sizing varies from listed. All worksurfaces are 1" TFL.

HILO-2-MID: for worksurfaces 48-60"

HILO-2-EXTND: for worksurfaces 60-72"

HILO-3: configures for 90 and 120 degree workstations

See Tables section of pricer for full specs and details on HiLo height adjustable bases.

Listed Size	Actual Size
WS-4824	47.25" W X 23.63" D
WS-4830	47.25" W X 29.5" D
WS-6024	59" W X 23.63" D
WS-6030	59" W x 29.5" D
WS-7224	70.88" W x 23.63" D
WS-7230	70.87" L x 29.5" W
WS-120POD	81.8" W x 44.1" D

American Cherry



Cafe



Grey Ash



White



HiLo Benching

SKU	DESCRIPTION	PRICE
HILO HUB BASE UNIT		
HILOHUB-NAT-48	HiLo Hub - National Code - 48"	1589
HILOHUB-NAT-60	HiLo Hub - National Code - 60"	1694
HILOHUB-NAT-72	HiLo Hub - National Code - 72"	1799
HILOHUB-CHI-48	HiLo Hub - Chicago Code - 48"	1589
HILOHUB-CHI-60	HiLo Hub - Chicago Code - 60"	1694
HILOHUB-CHI-72	HiLo Hub - Chicago Code - 72"	1799
HILO HUB SCREEN BRACKETS		
HILOHUB-SCR-BRKT-S	HiLo Hub - Screen Bracket - Single	156
HILOHUB-SCR-BRKT-D	HiLo Hub - Screen Bracket - Double	184
COLOR OPTIONS		
-BLK	Black	
-WHT	White	
-SLV	Silver	
POWER MODULES		
PWR-BASEFEED-72	Power Base Feed for Benching 72"	748
PWR-BASEFEED-144	Power Base Feed for Benching 144"	799
PWR-JMPR-48	Power Module - Jumper - 48" Benching	442
PWR-JMPR-60	Power Module - Jumper - 60" Benching	465
PWR-JMPR-72	Power Module - Jumper - 72" Benching	488
CHICODE-JBOX	Chicago Code Junction Box (3 per Hub)	138 per
HILO HUB PET SCREENS		
HILOHUB-SCR-PET-4828	Hilo Hub PET Screen - 48 x 28"	247
HILOHUB-SCR-PET-4834	Hilo Hub PET Screen - 48 x 34"	322
HILOHUB-SCR-PET-4840	Hilo Hub PET Screen - 48 x 40"	403
HILOHUB-SCR-PET-6028	Hilo Hub PET Screen - 60 x 28"	443
HILOHUB-SCR-PET-6034	Hilo Hub PET Screen - 60 x 34"	518
HILOHUB-SCR-PET-6040	Hilo Hub PET Screen - 60 x 40"	598
HILOHUB-SCR-PET-7228	Hilo Hub PET Screen - 72 x 28"	633
HILOHUB-SCR-PET-7234	Hilo Hub PET Screen - 72 x 34"	725
HILOHUB-SCR-PET-7240	Hilo Hub PET Screen - 72 x 40"	794





SPECIFICATION NOTES

POWER

Each power component specified individually. All power modules come with harness and power block. Power block is dual sided, 4 receptacles. All electrical is 8-wire, 4-circuit.

SCREENS

28"H screens provide overall height of 48" AFF
34"H screens provide overall height of 54" AFF
40"H screens provide overall height of 60" AFF



HiLo Hub

HiLo Hub with PET Screen

